Author Index

ABKEN H. & BÜTZLER C. Re-organization of the immunoglobulin kappa gene on both alleles is not an obligatory prerequisite for Ig lambda gene expression in human cells, 709
ABRAHAMSON M. *see* DANIELSSON L.
AKAHOSHI T. *see* KASAHARA T.
AKASHI T. & EISHI Y. Developmental expression of autoimmune target antigens during organogenesis, 524
ANDERSEN O. *see* FRIIS P.
ANDO T. *see* YOSHIKAI Y.
ANDO T., YOSHIKAI Y., MATSUZAKI G., TAKIMOTO H. & NOMOTO K. The stage of negative selection in tolerance induction in neonatal mice, 638
ANDREW J.M. *see* GUY K.
ANDREWS A.E., BARCHAM G.J., BRANDON M.R. & NASH A.D. Molecular cloning and characterization of ovine IL-1α and IL-1β, 453
ANSTEE D.J., GARDNER B., SPRING F.A., HOLMES C.H., SIMPSON K.L., PARSONS S.F., MALLINSON G., YOUSAF S.M. & JUDSON P.A. New monoclonal antibodies in CD44 and CD58: their use to quantify CD44 and CD58 in normal human erythrocytes and to compare the distribution of CD44 and CD58 in human tissues, 197
APPLETON J.A. *see* CARLISLE M.S.
AYALA A. *see* ERTEL W.
AYOUB E.M. *see* LAL R.B.

BABIUK L.A. *see* HUGHES H.P.A.
BAJPAI A., KWON B.S. & BRAHMI Z. Rapid loss of perforin and serine protease RNA in cytotoxic lymphocytes exposed to sensitive targets, 258
BARCHAM G.J. *see* ANDREWS A.E.
BARNETSON R. ST.C. *see* HO K.K.-L.
BARRIOS H.A. *see* CAMPETELLA O.E.
BEEKHUIZEN H., CORSÈL-VAN TILBURG A.J., BLOKLAND I. & VAN FURTH R. Characterization of the adherence of human monocytes to cytokine-stimulated human macrovascular endothelial cells, 661
BEILHARZ M.W. *see* TURNER K.J.
BELL J.I. *see* LOVERIDGE J.A.
BELLON B. *see* SAOUDI A.
BENESTAD H.B. *see* ROLSTAD B.
BENSON J.L. & NIEDERKORN J.Y. *In situ* suppression of delayed-type hypersensitivity: another mechanism for sustaining the immune privilege of the anterior chamber, 153
BERNARD F. *see* GUILLOTEAU L.
BERTOTTO A., GERLI R., CASTELLUCCI G., SCALISE F. & VACCARO R. Human milk lymphocytes bearing the γ/δ T-cell receptor are mostly δTCS1-positive cells, 360
BICE D.E., WEISSMAN D.N. & MUGGENBURG B.A. Long-term maintenance of localized antibody responses in the lung, 215
BILYK N. & HOLT P.G. The surface phenotypic characterization of lung macrophages in C3H/HeJ mice, 645
BLAISE F. *see* GUILLOTEAU L.
BLANKENHORN E.P. *see* FU Y.
BLOKLAND I. *see* BEEKHUIZEN H.
BOOTS A.M., KUSTERS J.G., VAN NOORT J.M., ZWAAGSTRA K.A., RIJKE E., VAN DER ZEIJST B.A.M. & HENSEN E.J. Localization of a T-cell epitope within the nucleocapsid protein of avian coronavirus, 8
BORREBAECK C.A.K. *see* DANIELSSON L.
BORST F. *see* DE JONG R.
BRAHMI Z. *see* BAJPAI A.
BRANDON D.R. *see* MEACOCK S.C.R.
BRANDON M.R. *see* ANDREWS A.E.
BRCIC M. *see* JUNGI T.W.
BRENNAN A. *see* KARMALI R.
BROCKHAUS M. *see* RYFFEL B.
BROM J. *see* KASIMIR S.
BROUWER M. *see* DE JONG R.
BROWN A.N. & WILLCOX H.N.A. Greatly improved recovery of *in vitro* B-memory cell function after enzymic dispersion of immunized mouse spleens, 600
BROWN E.J. *see* DONSON J.
BROWN K.N. *see* MOORE M.J.
BROWN M.H. *see* MONOSTORI E.
BROWN W.R. *see* HAMADA Y.
BUISMAN H.P., BUYS L.F.M., LANGERMANS J.A.M., VAN DER BROEK P.J. & VAN FURTH R. Effect of probenecid on phagocytosis and intracellular killing of *Staphylococcus aureus* and *Escherichia coli* by human monocytes and granulocytes, 338
BURNIE J.P. *see* MATTHEWS R.C.
BURROWS S.R. *see* KHANNA R.
BUTCHER R.D.J. & CUSHLEY W. Flow cytometric studies of IL-4-stimulated expression of the CD25 antigen by quiescent human B lymphocyte subpopulations, 511
BÜTZLER C. *see* ABKEN H.
BUYS L.F.M. *see* BUISMAN H.P.
BUZONI-GATEL D. *see* GUILLOTEAU L.

CAFFARELLI A. *see* CILLARI E.
CAI J.-P. *see* CHIN Y.H.
CAMERON K.J. *see* TURNER K.J.
CAMPBELL A.K. *see* JONES J.
CAMPETELLA O.E., GALASSI N.V. & BARRIOS H.A. Junin virus-induced non-specific suppressor cells interact with unrelated antigen-specific suppressor cells, 14
CAMPOS M. *see* HUGHES H.P.A.
CANTRELL D.A. *see* MONOSTORI E.
CARLISLE M.S., MCGREGOR D.D. & APPLETON J.A. Intestinal mucus entrapment of *Trichinella spiralis* larvae induced by specific antibodies, 546
CARLISLE M.S., MCGREGOR D.D. & APPLETON J.A. The role of the antibody Fc region in rapid expulsion of *Trichinella spiralis* in suckling rats, 552
CARLSSON R. *see* DANIELSSON L.
CARTER S.D. *see* RAKHA N.K.
CASTELLUCCI G. *see* BERTOTTO A.
CHAUDRY I.H. *see* ERTEL W.
CHIN Y.H., CAI J.-P. & XU X.-M. Tissue-specific homing receptor mediates lymphocyte adhesion to cytokine-stimulated lymph node high endothelial venule cells, 478
CHOONG J. *see* STUART E.S.
CHUNG S.W., KIM P.C.W., KOH I.H.J., FUNG L.S., COLE E.H., COHEN Z. & LEVY G.A. The comparative effects of cyclosporin A and 16,16 dimethyl prostaglandin E_2 on the allogeneic induction of monocyte/macrophage procoagulant activity and the cytokines macrophage procoagulant inducing factor and interleukin-2, 670
CILLARI E., DIELI M., LO CAMPO P., SIRECI G., CAFFARELLI A., MALTESE E., MILLOTT S., MILANO S. & LIEW F.Y. Protective effect of isoprinosine in genetically susceptible BALB/c mice infected with *Leishmania major*, 25
CLANCY R.L. *see* WALLACE F.J.
CLEM L.W. *see* VALLEJO A.N.
COELEN R.J. *see* TURNER K.J.
COHEN Z. *see* CHUNG S.W.
COLE E.H. *see* CHUNG S.W.
COLLEN T. *see* GLASS E.J.
COMPSTON D.A.S. *see* JONES J.
CONLEY F.K. *see* SUZUKI Y.
CORSÈL-VAN TILBURG A.J. *see* BEEKHUIZEN H.
COX F.E.G. *see* LIEW F.Y.
CRAIG P.S. *see* RAKHA N.K.
CREANY J. *see* TURNER K.J.

CRIPPS A.W. *see* WALLACE F.J.
CRUMPTON M.J. *see* MONOSTORI E.
CUMBERBATCH M., GOULD S.J., PETERS S.W. & KIMBER I. MHC class II expression by Langerhans' cells and lymph node dendritic cells: possible evidence for maturation of Langerhans' cells following contact sensitization, 414
CUMBERBATCH M., ILLINGWORTH I. & KIMBER I. Antigen-bearing dendritic cells in the draining lymph nodes of contact sensitized mice: cluster formation with lymphocytes, 139
CUSHLEY W. *see* BUTCHER R.D.J.

DAHLGREN U.I. & HANSON L.Å. Effect of oestradiol on the secretory immune system in the rat: an increase in biliary IgM antibodies against a T-cell independent antigen, 74
DAMMACCO F. *see* PEROSA F.
DANIELSSON L., FUREBRING C., OHLIN M., HULTMAN L., ABRAHAMSON M., CARLSSON R. & BORREBAECK C.A.K. Human monoclonal antibodies with different fine specificity for digoxin derivatives: cloning of heavy and light chain variable region sequences, 50
DANNECKER G. *see* MECHERI S.
DE KOZAK Y. *see* SAOUDI A.
DE LANGE G.G. & VAN LEEUWEN A.M. The first monoclonal anti-G1m(x) antibody: production and usefulness in haemagglutination-inhibition assay, 559
DEL VECCHIO P. *see* ODEKON L.E.
DENNIG D. *see* MECHERI S.
DHAWAN R.R. *see* LAL R.B.
DIELI M. *see* CILLARI E.
DIMARCHI R. *see* GLASS E.J.
DIXON J.B. *see* RAKHA N.K.
DOEL T.R. *see* GLASS E.J.
DOHI Y. *see* FURUKAWA Y.
DONATI Y. *see* REES A.D.M.
DONSON J., MANDY K., FENG Z.-H., MANDY S., BROWN E.J. & GODFREY H.P. Role of monocyte fucose-receptors in T-cell fibronectin activity, 473
DÖRRIES R., SCHWENDER S., IMRICH H. & HARMS H. Population dynamics of lymphocyte subsets in the central nervous system of rats with different susceptibility to coronavirus-induced demyelinating encephalitis, 539
DÖRRIES R. *see* SCHWENDER S.
DRUET PH. *see* SAOUDI A.
DUFFUS W.P.H. *see* LUNN D.P.
DUMONDE D.C. *see* LIMB G.A.
DUNN P.L. & NORTH R.J. Effect of advanced ageing on the ability of mice to cause tumour regression in response to immunotherapy, 355

EISHI Y. *see* AKASHI T.
ELSE K.J. *see* GRENCIS R.K.
ERTEL W., MORRISON M.H., AYALA A., PERRIN M.M. & CHAUDRY I.H. Anti-TNF monoclonal antibodies prevent haemorrhage-induced suppression of Kupffer cell antigen presentation and MHC class II antigen expression, 290
ESDAILE J. *see* LIFELY M.R.
ESHEL I. *see* SCHREIBER L.
ESNAULT V.L.M., JAYNE D.R.W., WEETMAN A.P. & LOCKWOOD C.M. IgG subclass distribution and relative functional affinity of anti-myeloperoxidase antibodies in systemic vasculitis at presentation and during follow-up, 714

FARROW S.M. *see* KARMALI R.
FELSTEIN M.V. *see* GARSIDE P.
FENG Z.-H. *see* DONSON J.
FERRONE S. *see* PEROSA F.
FISCHER A. & KÖNIG W. Influence of cytokines and cellular interactions on the glucocorticoid-induced Ig (E,G,A,M) synthesis of peripheral blood mononuclear cells, 228
FLYNN J.N. & SILEGHEM M. The role of the macrophage in induction of immunosuppression in *Trypanosoma congolense*-infected cattle, 310
FOLKARD S. *see* RAKHA N.K.
FORSLID J., HALLDÉN G. & HED J. The inhibition of CR1 mobilization of human granulocytes by the presence of erythrocytes. A possible mechanism for intravascular regulation of granulocyte modulation, 685
FRAKER P.J. *see* GARVY B.A.
FRANZKE A. *see* WÜRZNER R.
FREWIN M.B. *see* ODEKON L.E.
FRIIS P., SVEHAG S.-E., ANDERSEN O., GAHRN-HANSEN B. & LESLIE R.G.Q. Conglutinin exhibits a complement-dependent enhancement of the respiratory burst of phagocytes stimulated by *E. coli*, 680
FRITH S. *see* JONES J.
FU Y., VILLAS P.A. & BLANKENHORN E.P. Genetic control of rat T-cell response to *Staphylococcus aureus* enterotoxins (SE), 484
FUJIMOTO S. *see* TAMURA H.
FUJITA K. *see* MORIKAWA Y.
FUKUI H. *see* MIHARA M.
FUNG L.S. *see* CHUNG S.W.
FUREBRING C. *see* DANIELSSON L.
FURUKAWA Y., OHTSUBO M., IMAGAWA T., SUGIMOTO N., IKUTOH M., NAKATSUGI S., KATOH Y., SHINKA S. & DOHI Y. Growth inhibition of tumour cells by a liposome-encapsulated, mycolic acid-containing glycolipid, trehalose 2,3,6′-trimycolate, 497
FÜST G. *see* SCHMIDT B.
FYFE L., MAINGAY J., ROBINSON A.C. & HOWIE S.E.M. Murine immune response to HIV-1 p24 core protein following subcutaneous, intraperitoneal and intravenous immunization, 467

GAHRN-HANSEN B. *see* FRIIS P.
GALASSI N.V. *see* CAMPETELLA O.E.
GARDNER B. *see* ANSTEE D.J.
GARSIDE P., FELSTEIN M.V., GREEN E.A. & MOWAT A. MCI. The role of interferon α/β in the induction of intestinal pathology in mice, 279
GARVY B.A. & FRAKER P.J. Suppression of the antigenic response of murine bone marrow B cells by physiological concentrations of glucocorticoids, 519
GERLI R. *see* BERTOTTO A.
GERMANA S. & SHINOHARA N. Qa-1/Tla region alloantigen-specific CTL with $\alpha\beta$ receptor, 578
GEWURZ H. *see* JIANG H.
GIRN B. *see* MCMENAMIN C.
GLASS E.J., OLIVER R.A., COLLEN T., DOEL T.R., DIMARCHI R. & SPOONER R.L. MHC class II restricted recognition of FMDV peptides by bovine T cells, 594
GODFREY H.P. *see* DONSON J.
GODSON D.L. *see* HUGHES H.P.A.
GOMBERT J. *see* LECRON J.-C.
GÖTZE O. *see* MONTZ H.
GÖTZE O. *see* WÜRZNER R.
GOUBE DE LAFOREST P. *see* LECRON J.-C.
GOULD S.J. *see* CUMBERBATCH M.
GRADEHANDT G. & RUEDE E. The endo/lysosomal protease cathepsin B is able to process conalbumin fragments for presentation to T cells, 393
GREEN E.A. *see* GARSIDE P.
GREINER B. *see* RYFFEL B.
GRENCIS R.K., HÜLTNER L. & ELSE K.J. Host protective immunity to *Trichinella spiralis* in mice: activation of Th cell subsets and lymphokine secretion in mice expressing different response phenotypes, 329
GUDAT F. *see* RYFFEL B.
GUDEWICZ P.W. *see* ODEKON L.E.
GUILLOTEAU L., BUZONI-GATEL D., BLAISE F., BERNARD F. & PÉPIN M. Phenotypic analysis of splenic lymphocytes and immunohistochemical study of hepatic granulomas after a murine infection with *Salmonella abortusovis*, 630
GUPTA H. MALINI *see* SAD S.
GUY K. & ANDREW J.M. Expression of the CDw75 (β-galactoside α 2,6-sialyltransferase) antigen on normal blood cells and in B-cell chronic lymphocytic leukaemia, 206
GYAPAY G. *see* SCHMIDT B.
GYIMESI E. *see* KÁVAI M.

HADDAD J.G. *see* YAMAMOTO N.
HALLDÉN G. *see* FORSLID J.
HALLETT M.B. *see* JONES J.
HALLIDAY G.M. *see* HO K.K.-L.
HAMADA S. *see* SHIMAUCHI H.
HAMADA Y., KOBAYASHI K. & BROWN W.R. Tumour necrosis factor-

alpha decreases expression of the intestinal IgG Fc binding site by HT29–N2 cells, 298
HAMAMURA K. *see* TAKEUCHI Y.
HAMBLIN A.S. *see* LIMB G.A.
HANADA K., KATOH H., HOSOKAWA T., HOSONO M. & TAKEDA T. Immune responses in newly developed short-lived SAM mice. IV. Chromosomal location of a gene controlling defective helper T-cell activity, 160
HANSON L.Å. *see* DAHLGREN U.I.
HARA T. *see* SEYA T.
HARMS H. *see* DÖRRIES R.
HAY F.C. *see* MOORE M.J.
HED J. *see* FORSLID J.
HENSEN E.J. *see* BOOTS A.M.
HEWISON M. *see* KARMALI R.
HILGER R.A., NEUBER K. & KÖNIG W. Conversion of leukotriene A_4 by neutrophils and platelets from patients with atopic dermatitis, 689
HIRAMINE C. *see* TAMURA H.
HO K.K.-L., HALLIDAY G.M. & BARNETSON R. ST.C. Topical and oral retinoids protect Langerhans' cells and epidermal Thy-1$^+$ dendritic cells from being depleted by ultraviolet radiation, 425
HOFFMANN M.K. *see* MECHERI S.
HOFHUIS F.M.A. *see* VAN DEN BERG C.W.
HOJO K. *see* TAMURA H.
HOLMES C.H. *see* ANSTEE D.J.
HOLMES M.A. *see* LUNN D.P.
HOLT B.J. *see* MCMENAMIN C.
HOLT B.J. *see* TURNER K.J.
HOLT P.G. *see* BILYK N.
HOLT P.G. *see* MCMENAMIN C.
HOLTROP S., RIJKE-SCHILDER G.P.M., KOENE R.A.P. & TAX W.J.M. A polymorphic Fc receptor for mouse IgG2b on human B cells and monocytes, 613
HOMMA S. *see* YAMAMOTO N.
HORIUCHI T. *see* TAKEUCHI Y.
HOSOKAWA T. *see* HANADA K.
HOSONO M. *see* HANADA K.
HOSONO M. *see* IDEYAMA S.
HOWAT D. *see* MATTHEWS R.C.
HOWIE S.E.M. *see* FYFE L.
HUGHES H.P.A., CAMPOS M., GODSON D.L., VAN DRUNEN LITTEL-VAN DEN HURK S., MCDOUGALL L., RAPIN N., ZAMB T. & BABIUK L.A. Immunopotentiation of bovine herpes virus subunit vaccination by interleukin-2, 461
HULTMAN L. *see* DANIELSSON L.
HÜLTNER L. *see* GRENCIS R.K.
HUSBAND A.J. *see* WALLACE F.J.

IDEYAMA S., HOSONO M., IMAMURA S., TOMANA M. & KATSURA Y. Intrathymic induction of neonatal tolerance to Mls-1^a determinant: clonal deletion and clonal anergy by haematolymphoid cells, 240
IKUTOH M. *see* FURUKAWA Y.
ILLINGWORTH I. *see* CUMBERBATCH M.
IMAGAWA T. *see* FURUKAWA Y.
IMAMURA S. *see* IDEYAMA S.
IMRICH H. *see* DÖRRIES R.
IMRICH H. *see* SCHWENDER S.
ISHIDA A. *see* YOSHIKAI Y.
ISSEKUTZ A.C. *see* MORZYCKI W.

JACOB C.A. *see* KHANNA R.
JAYNE D.R.W. *see* ESNAULT V.L.M.
JENKINS P. *see* RAKHA N.K.
JIANG H., LINT T.F. & GEWURZ H. Defined chemically cross-linked oligomers of human C-reactive protein: characterization and reactivity with the complement system, 725
JOH K. *see* SUZUKI Y.
JOHNSON S.M. The effect of interferon-alpha on the ecto 5′-nucleotidase of human lymphoblastoid B-cell lines depends on the class of immunoglobulin secreted, 44
JONES J., FRITH S., PIDDLESDEN S., MORGAN B.P., COMPSTON D.A.S., CAMPBELL A.K. & HALLETT M.B. Imaging Ca^{2+} changes in individual oligodendrocytes attacked by T-cell perforin, 572

DE JONG R., STOKKERS P., LAMME E., KOOL J.M., BORST F., BROUWER M., MIEDEMA F. & VAN LIER R.A.W. Regulation of T-cell differentiation by CD2 and CD28 accessory molecules, 175
JUDSON P.A. *see* ANSTEE D.J.
JUNGI T.W., BRCIC M., LEUTWYLER C., PFISTER H. & SPYCHER M.O. Interferon-gamma treatment impairs Fc receptor type II-mediated phagocytosis of human macrophages by a post-receptor-binding mechanism, 439

KAKUDO K. *see* MORIKAWA Y.
KARMALI R., HEWISON M., RAYMENT N., FARROW S.M., BRENNAN A., KATZ D.R. & O'RIORDAN J.L.H. $1,25(OH)_2D_3$ regulates c-myc mRNA levels in tonsillar T lymphocytes, 589
KASAHARA T., MUKAIDA N., YAMASHITA K., YAGISAWA H., AKAHOSHI T. & MATSUSHIMA T. IL-1 and TNF-α induction of IL-8 and monocyte chemotactic and activating factor (MCAF) mRNA expression in a human astrocytoma cell line, 60
KASIMIR S., BROM J. & KÖNIG W. Effect of interferon-alpha on neutrophil functions, 271
KATO C. *see* SAITO K.
KATOH H. *see* HANADA K.
KATOH Y. *see* FURUKAWA Y.
KATSURA Y. *see* IDEYAMA S.
KATSURAGI H. *see* SAITO K.
KATZ D.R. *see* KARMALI R.
KÁVAI M., GYIMESI E., SZÜCS G. & SZEGEDI G. Binding and endocytosis of erythrocytes sensitized with rabbit IgG via Fc gamma receptors of human monocytes, 657
KEES U.R. *see* MCMENAMIN C.
KHANNA R., JACOB C.A., BURROWS S.R., KURILLA M.G., KIEFF E., MISKO I.S., SCULLEY T.B. & MOSS D.J. Expression of Epstein–Barr virus nuclear antigens in anti-IgM-stimulated B cells following recombinant vaccinia infection and their recognition by human cytotoxic T cells, 504
KIEFF E. *see* KHANNA R.
KIERSZENBAUM F., MORETTI E. & SZTEIN M.B. *Trypanosoma cruzi* induces suppression of DNA synthesis and inhibits expression of interleukin-2 receptors by stimulated human B lymphocytes, 317
KIM P.C.W. *see* CHUNG S.W.
KIMBER I. *see* CUMBERBATCH M.
KIOUSSIS D. *see* MONOSTORI E.
KIRKWOOD T.B.L. *see* LOVERIDGE J.A.
KIRONDE F.A.S., RAO K.V.S., SHAH S., KUMAR A. & SAHOO N. Towards the design of heterovalent anti-malaria vaccines: a hybrid immunogen capable of eliciting immune responses to epitopes of circumsporozoite antigens from two different species of the malaria parasite, *Plasmodium*, 323
KNIGHT S.C. *see* MACATONIA S.E.
KOBAYASHI K. *see* HAMADA Y.
KOCH K.-C. *see* MONTZ H.
KOENE R.A.P. *see* HOLTROP S.
KOH I.H.J. *see* CHUNG S.W.
KOISHIHARA Y. *see* MIHARA M.
KOMATSUZAKI A. *see* SAITO K.
KÖNIG W. *see* FISCHER A.
KÖNIG W. *see* HILGER R.A.
KÖNIG W. *see* KASIMIR S.
KOOL J.M. *see* DE JONG R.
KOSSAKOWSKA A.E. & URBANSKI S.J. Differentiation of human B-cell malignant lymphomas is independent of the octamer lymphoid specific binding factor (Oct-2), 37
KOWALSKI M.A. *see* YAMAMOTO N.
KUHN J. *see* SAOUDI A.
KUMAR A. *see* KIRONDE F.A.S.
KUNDU S.K. & MERIGAN T.C. Inverse relationship of CD8$^+$CD11$^+$ suppressor T cells with human immunodeficiency virus (HIV)-specific cellular cytotoxicity and natural killer cell activity in HIV infection, 567
KURIBAYASHI K. *see* MORIKAWA Y.
KURILLA M.G. *see* KHANNA R.
KUSTERS J.G. *see* BOOTS A.M.
KUZUHARA H. *see* TAMURA H.
KWON B.S. *see* BAJPAI A.

LAL R.B., DHAWAN R.R., TARRAND J.J., AYOUB E.M. & OTTESEN E.A. Lack of IgG4 antibody response to carbohydrate antigens in patients with lymphatic filariasis, 333
LAMB J. *see* REES A.D.M.
LAMME E. *see* DE JONG R.
LANG G. *see* MONOSTORI E.
LANGERMANS J.A.M. *see* BUISMAN H.P.
LECHLER R. *see* REES A.D.M.
LECRON J.-C., MOREL F., TANZER J., GOMBERT J. & GOUBE DE LAFOREST P. Soluble CD23 displays T-cell growth enhancing activity, 561
LESLIE R.G.Q. *see* FRIIS P.
LEUTWYLER C. *see* JUNGI T.W.
LEVY G.A. *see* CHUNG S.W.
LI Y. *see* LIEW F.Y.
LIEW F.Y., LI Y., YANG D.M., SEVERN A. & COX F.E.G. TNF-α reverses the disease-exacerbating effect of subcutaneous immunization against murine cutaneous leishmaniasis, 304
LIEW F.Y. *see* CILLARI E.
LIFELY M.R. & ESDAILE J. Specificity of the immune response to the group B polysaccharide of *Neisseria meningitidis*, 490
LIMB G.A., HAMBLIN A.S., WOLSTENCROFT R.A. & DUMONDE D.C. Selective up-regulation of human granulocyte integrins and complement receptor 1 by cytokines, 696
LINT T.F. *see* JIANG H.
LOCKWOOD C.M. *see* ESNAULT V.L.M.
LOMBARDI G. *see* REES A.D.M.
LO CAMPO P. *see* CILLARI E.
LOOR F. *see* MONTECINO-RODRIGUEZ E.M.
LOVERIDGE J.A., ROSENBERG W.M.C., KIRKWOOD T.B.L. & BELL J.I. The genetic contribution to human T-cell receptor repertoire, 246
LUNN D.P., HOLMES M.A. & DUFFUS W.P.H. Three monoclonal antibodies identifying antigens on all equine T lymphocytes, and two mutually exclusive T-lymphocyte subsets, 251

MACATONIA S.E., PATTERSON S. & KNIGHT S.C. Primary proliferative and cytotoxic T-cell responses to HIV induced *in vitro* by human dendritic cells, 399
MACDONALD A.B. *see* STUART E.S.
MAINGAY J. *see* FYFE L.
MALLINSON G. *see* ANSTEE D.J.
MALTESE E. *see* CILLARI E.
MANDY K. *see* DONSON J.
MANDY S. *see* DONSON J.
MATSUMOTO M. *see* SEYA T.
MATSUSHIMA T. *see* KASAHARA T.
MATSUZAKI G. *see* ANDO T.
MATTHEWS R.C., BURNIE J.P., HOWAT D., ROWLAND T. & WALTON F. Autoantibody to heat-shock protein 90 can mediate protection against systemic candidosis, 20
MCDOUGALL L. *see* HUGHES H.P.A.
MCGREGOR D.D. *see* CARLISLE M.S.
MCMENAMIN C., OLIVER J., GIRN B., HOLT B.J., KEES U.R., THOMAS W.R. & HOLT P.G. Regulation of T-cell sensitization at epithelial surfaces in the respiratory tract: suppression of IgE responses to inhaled antigens by $CD3^+$ TcR α^-/β^- lymphocytes (putative γ/δ T cells), 234
MEACOCK S.C.R., BRANDON D.R. & SMITH W. Interleukin-2 receptors on rat eosinophils in adjuvant arthritis, 169
MECHERI S., DANNECKER G., DENNIG D. & HOFFMANN M.K. B cells control the aggregability of CD4 on T cells through continuous physical interactions, 606
MEILIN A. *see* SCHREIBER L.
MERIGAN T.C. *see* KUNDU S.K.
MIEDEMA F. *see* DE JONG R.
MIHARA M., KOISHIHARA Y., FUKUI H., YASUKAWA K. & OHSUGI Y. Murine anti-human IL-6 monoclonal antibody prolongs the half-life in circulating blood and thus prolongs the bioactivity of human IL-6 in mice, 55
MIHATSCH M.J. *see* RYFFEL B.
MILANO S. *see* CILLARI E.
MILLER N.W. *see* VALLEJO A.N.
MILLOTT S. *see* CILLARI E.
MISKO I.S. *see* KHANNA R.
MIYAGAWA S. *see* SEYA T.
MIZUSHIMA A. *see* MORIKAWA Y.
MONOSTORI E., LANG G., KIOUSSIS D., CANTRELL D.A., ZAMOYSKA R., BROWN M.H. & CRUMPTON M.J. Human CD2 is functional in CD2 transgenic mice, 369
MONTECINO-RODRIGUEZ E.M. & LOOR F. Haematopoietic cell transfers between C57BL/6 mice differing at the *lpr* or *gld* locus, 127
MONTECINO-RODRIGUEZ E.M. & LOOR F. Reciprocal haematopoietic cell transfers between C57BL/6 mice differing at the *lpr* locus, 121
MONTZ H., KOCH K.-C., ZIERZ R. & GÖTZE O. The role of C5a in interleukin-6 production induced by lipopolysaccharide or interleukin-1, 373
MOORE M.J., HAY F.C., WOOD J. & BROWN K.N. *In vivo* effects of anti-idiotype on *Plasmodium chabaudi* infection in mice, 31
MOREL F. *see* LECRON J.-C.
MORETTI E. *see* KIERSZENBAUM F.
MORGAN B.P. *see* JONES J.
MORIKAWA Y., KURIBAYASHI K., YOSHIKAWA F., FUJITA K., MIZUSHIMA A. & KAKUDO K. The role of antibodies in the regulation of delayed-type hypersensitivity, 146
MORISAKI T. *see* UCHIYAMA A.
MORRISON M.H. *see* ERTEL W.
MORZYCKI W. & ISSEKUTZ A.C. Tumour necrosis factor-alpha but not interleukin-1 induces polymorphonuclear leucocyte migration through fibroblast layers by a fibroblast-dependent mechanism, 107
MOSS D.J. *see* KHANNA R.
MOWAT A. MCI. *see* GARSIDE P.
MUGGENBURG B.A. *see* BICE D.E.
MUKAIDA N. *see* KASAHARA T.
MUROSAKI S. *see* YOSHIKAI Y.

NAKATSUGI S. *see* FURUKAWA Y.
NASH A.D. *see* ANDREWS A.E.
NEUBER K. *see* HILGER R.A.
NIEDERKORN J.Y. *see* BENSON J.L.
NOMOTO K. *see* ANDO T.
NOMOTO K. *see* YOSHIKAI Y.
NORTH R.J. *see* DUNN P.L.

ODEKON L.E., FREWIN M.B., DEL VECCHIO P., SABA T.M. & GUDEWICZ P.W. Fibronectin fragments released from phorbol ester-stimulated pulmonary artery endothelial cell monolayers promote neutrophil chemotaxis, 114
OGAWA T. *see* SHIMAUCHI H.
OHLIN M. *see* DANIELSSON L.
OHSUGI Y. *see* MIHARA M.
OHTSUBO M. *see* FURUKAWA Y.
OKADA M. *see* SEYA T.
OKUMURA K. *see* TAKEUCHI Y.
OLIVER J. *see* MCMENAMIN C.
OLIVER R.A. *see* GLASS E.J.
ORELLANA M.A. *see* SUZUKI Y.
O'RIORDAN J.L.H. *see* KARMALI R.
OSHIMURA M. *see* SEYA T.
OTTESEN E.A. *see* LAL R.B.

PALKAMA T. Induction of interleukin-1 production by ligands binding to the scavenger receptor in human monocytes and the THP-1 cell line, 432
PARISH C.R. & WARREN H.S. Conservation of a polyanion binding site in mammalian and avian CD4, 191
PARSONS S.F. *see* ANSTEE D.J.
PATTERSON S. *see* MACATONIA S.E.
PÉPIN M. *see* GUILLOTEAU L.
PEROSA F., FERRONE S. & DAMMACCO F. Anti-idiotypic monoclonal antibodies reacting with isolated-denatured chains of an anti-CD4 monoclonal antibody, 748
PERRIN M.M. *see* ERTEL W.
PETERS J.H. *see* WÜRZNER R.
PETERS S.W. *see* CUMBERBATCH M.
PFISTER H. *see* JUNGI T.W.
PIDDLESDEN S. *see* JONES J.
POLLA B. *see* REES A.D.M.

RADEMAKER P.M. *see* VAN DEN BERG C.W.
RAGHUPATHY R. *see* SAD S.
RAKHA N.K., DIXON J.B., CARTER S.D., CRAIG P.S., JENKINS P. & FOLKARD S. *Echinococcus multilocularis* antigens modify accessory cell function of macrophages, 652
RAO K.V.S. *see* KIRONDE F.A.S.
RAPIN N. *see* HUGHES H.P.A.
RAYMENT N. *see* KARMALI R.
REES A.D.M., DONATI Y., LOMBARDI G., LAMB J., POLLA B. & LECHLER R. Stress-induced modulation of antigen-presenting cell function, 386
REMINGTON J.S. *see* SUZUKI Y.
RIJKE E. *see* BOOTS A.M.
RIJKE-SCHILDER G.P.M. *see* HOLTROP S.
RIVIRAJAN C.T. & STAINES N.A. Involvement in lupus disease of idiotypes Id.F-423 and Id.IV-228 defined, respectively, upon foetal and adult MRL/*Mp-lpr/lpr* DNA-binding monoclonal autoantibodies, 342
ROBINSON A.C. *see* FYFE L.
ROLSTAD B. & BENESTAD H.B. Spontaneous alloreactivity of natural killer (NK) and lymphokine-activated killer (LAK) cells from athymic rats against normal haemic cells. NK cells stimulate syngeneic but inhibit allogeneic haemopoiesis, 86
ROSENBERG W.M.C. *see* LOVERIDGE J.A.
ROWLAND T. *see* MATTHEWS R.C.
RUBIO N. & TORRES C. IL-1, IL-2 and IFN-γ production by Theiler's virus-induced encephalomyelitic SJL/J mice, 284
RUEDE E. *see* GRADEHANDT G.
RYFFEL B., BROCKHAUS M., GREINER B., MIHATSCH M.J. & GUDAT F. Tumour necrosis factor receptor distribution in human lymphoid tissue, 446

SABA T.M. *see* ODEKON L.E.
SAD S., GUPTA H. MALINI, TALWAR G.P. & RAGHUPATHY R. Carrier-induced suppression of the antibody response to a 'self' hapten, 223
SAHOO N. *see* KIRONDE F.A.S.
SAITO K., KATO C., KATSURAGI H. & KOMATSUZAKI A. IgA-mediated inhibition of human leucocyte function by interference with Fcγ and C3b receptors, 99
SAOUDI A., BELLON B., DE KOZAK Y., KUHN J., VIAL M.-C., THILLAYE B. & DRUET PH. Prevention of experimental autoimmune uveoretinitis and experimental autoimmune pinealitis in (Lewis × Brown-Norway) F_1 rats by $HgCl_2$ injections, 348
SCALISE F. *see* BERTOTTO A.
SCHMIDT B., GYAPAY G., VÁLAY M. & FÜST G. Human recombinant macrophage colony-stimulating factor (M-CSF) increases Cl-esterase inhibitor (C1-INH) synthesis by human monocytes, 677
SCHREIBER L., ESHEL I., MEILIN A., SHARABI Y. & SHOHAM J. Analysis of thymic stromal cell subpopulations grown *in vitro* on extracellular matrix in defined medium III. Growth conditions of human thymic epithelial cells and immunomodulatory activities in their culture supernatant, 621
SCHULZE M. *see* WÜRZNER R.
SCHWENDER S., IMRICH H. & DÖRRIES R. The pathogenic role of virus-specific antibody-secreting cells in the central nervous system of rats with different susceptibility to coronavirus-induced demyelinating encephalitis, 533
SCHWENDER S. *see* DÖRRIES R.
SCULLEY T.B. *see* KHANNA R.
SEVERN A. *see* LIEW F.Y.
SEYA T., OKADA M., HARA T., MATSUMOTO M., MIYAGAWA S. & OSHIMURA M. Human complement regulatory proteins expressed on mouse A9 cells containing a human chromosome 1, 719
SHAH S. *see* KIRONDE F.A.S.
SHARABI Y. *see* SCHREIBER L.
SHIMAUCHI H., OGAWA T. & HAMADA S. Immune response gene regulation of the humoral immune response to *Porphyromonas gingivalis* fimbriae in mice, 362
SHINKA S. *see* FURUKAWA Y.
SHINOHARA N. *see* GERMANA S.
SHOHAM J. *see* SCHREIBER L.
SILEGHEM M. *see* FLYNN J.N.
SIMPSON K.L. *see* ANSTEE D.J.
SIRECI G. *see* CILLARI E.
SKIPSEY L.J. *see* WARREN H.S.
SMITH W. *see* MEACOCK S.C.R.
SPOONER R.L. *see* GLASS E.J.
SPRING F.A. *see* ANSTEE D.J.
SPYCHER M.O. *see* JUNGI T.W.
STAINES N.A. *see* RIVIRAJAN C.T.
STOKKERS P. *see* DE JONG R.
STOLER S.B. *see* STUART E.S.
STUART E.S., WYRICK P.B., CHOONG J., STOLER S.B. & MACDONALD A.B. Examination of chlamydial glycolipid with monoclonal antibodies: cellular distribution and epitope binding, 740
SUGIMOTO N. *see* FURUKAWA Y.
SUGIMOTO T. *see* TAKEUCHI Y.
SUZUKI Y., JOH K., ORELLANA M.A., CONLEY F.K. & REMINGTON J.S. A gene(s) within the H-2D region determines the development of toxoplasmic encephalitis in mice, 732
SVEHAG S.-E. *see* FRIIS P.
SZEGEDI G. *see* KÁVAI M.
SZTEIN M.B. *see* KIERSZENBAUM F.
SZÜCS G. *see* KÁVAI M.

TAKEDA T. *see* HANADA K.
TAKEUCHI Y., HORIUCHI T., HAMAMURA K., SUGIMOTO T., YAGITA H. & OKUMURA K. Role of CD4 molecule in intrathymic T-cell development, 183
TAKIMOTO H. *see* ANDO T.
TALWAR G.P. *see* SAD S.
TAMURA H., KUZUHARA H., HIRAMINE C., HOJO K., YAMAMOTO H. & FUJIMOTO S. Proliferation of an athymic mouse-derived T-cell clone on thymic stromal cells with interleukin-2, 264
TANZER J. *see* LECRON J.-C.
TARRAND J.J. *see* LAL R.B.
TAX W.J.M. *see* HOLTROP S.
THILLAYE B. *see* SAOUDI A.
THOMAS W.R. *see* MCMENAMIN C.
TOMANA M. *see* IDEYAMA S.
TORISU M. *see* UCHIYAMA A.
TORRES C. *see* RUBIO N.
TURNER K.J., CREANY J., COELEN R.J., CAMERON K.J., HOLT B.J. & BEILHARZ M.W. Comparison of IgE expression at the mRNA and protein levels *in vitro*, 703

UCHIYAMA A., MORISAKI T. & TORISU M. Evidence that induction and regulation of lymphokine-activated killer (LAK) activity are mediated by changes in tumour-binding potential of lymphocytes after activation by interleukin-2 (IL-2), 94
URBANSKI S.J. *see* KOSSAKOWSKA A.E.

VACCARO R. *see* BERTOTTO A.
VÁLAY M. *see* SCHMIDT B.
VALLEJO A.N., MILLER N.W. & CLEM L.W. Phylogeny of immune recognition: role of alloantigens in antigen presentation in channel catfish immune responses, 165
VAN DEN BERG C.W., HOFHUIS F.M.A., RADEMAKER P.M. & VAN DIJK H. Induction of active immunological hypo/non-responsiveness to C5 in adult C5-deficient DBA/2 mice, 380
VAN DER BROEK P.J. *see* BUISMAN H.P.
VAN DER ZEIJST B.A.M. *see* BOOTS A.M.
VAN DRUNEN LITTEL-VAN DEN HURK S. *see* HUGHES H.P.A.
VAN DIJK H. *see* VAN DEN BERG C.W.
VAN FURTH R. *see* BEEKHUIZEN H.
VAN FURTH R. *see* BUISMAN H.P.
VAN LEEUWEN A.M. *see* DE LANGE G.G.
VAN LIER R.A.W. *see* DE JONG R.
VAN NOORT J.M. *see* BOOTS A.M.
VIAL M.-C. *see* SAOUDI A.
VILLAS P.A. *see* FU Y.

WALLACE F.J., CRIPPS A.W., CLANCY R.L., HUSBAND A.J. & WITT C.S. A role for intestinal T lymphocytes in bronchus mucosal immunity, 68
WALTON F. *see* MATTHEWS R.C.
WARREN H.S. & SKIPSEY L.J. Loss of activation-induced CD45RO with maintenance of CD45RA expression during prolonged culture of T cells and NK cells, 78

WARREN H.S. *see* PARISH C.R.
WEETMAN A.P. *see* ESNAULT V.L.M.
WEISSMAN D.N. *see* BICE D.E.
WILLCOX H.N.A. *see* BROWN A.N.
WITT C.S. *see* WALLACE F.J.
WOLSTENCROFT R.A. *see* LIMB G.A.
WOOD J. *see* MOORE M.J.
WÜRZNER R., XU H., FRANZKE A., SCHULZE M., PETERS J.H. & GÖTZE O. Blood dendritic cells carry terminal complement complexes on their cell surface, as detected by newly developed neoepitope-specific monoclonal antibodies, 132
WYRICK P.B. *see* STUART E.S.

XU H. *see* WÜRZNER R.
XU X.-M. *see* CHIN Y.H.

YAGISAWA H. *see* KASAHARA T.
YAGITA H. *see* TAKEUCHI Y.
YAMAMOTO H. *see* TAMURA H.
YAMAMOTO N., HOMMA S., HADDAD J.G. & KOWALSKI M.A. Vitamin D_3 binding protein required for *in vitro* activation of macrophages after alkylglycerol treatment of mouse peritoneal cells, 420
YAMASHITA K. *see* KASAHARA T.
YANG D.M. *see* LIEW F.Y.
YASUKAWA K. *see* MIHARA M.
YOSHIKAI Y., ISHIDA A., MUROSAKI S., ANDO T. & NOMOTO K. Sequential appearance of T-cell receptor $\gamma\delta$- and $\alpha\beta$-bearing intestinal intra-epithelial lymphocytes in mice after irradiation, 583
YOSHIKAI Y. *see* ANDO T.
YOSHIKAWA F. *see* MORIKAWA Y.
YOUSAF S.M. *see* ANSTEE D.J.

ZAMB T. *see* HUGHES H.P.A.
ZAMOYSKA R. *see* MONOSTORI E.
ZIERZ R. *see* MONTZ H.
ZÖLLER M. Intrathymic presentation by dendritic cells and macrophages: their role in selecting T cells with specificity for internal and external nominal antigen, 407
ZWAAGSTRA K.A. *see* BOOTS A.M.

Subject Index

Adherence:
  of human monocytes to cytokine-stimulated endothelial cells, 661
Ageing:
  effect on tumour regression in response to immunotherapy, 355
Alloantigens, channel catfish:
  role in antigen presentation, 121
Alloreactivity, spontaneous:
  of natural killer and lymphokine-activated killer cells, 86
Anterior chamber of the eye:
  in situ, 153
Anti-idiotype:
  effect on *Plasmodium chabaudi* infection, 31
Anti-idiotypes:
  to anti-CD4 antibody, 748
Anti-tumour necrosis factor:
  prevention of suppression of Kupffer cell antigen pres tation and major histocompatibility expression, 290
Antibody:
  role in delayed-type hypersensitivity, 146

B cells, bone marrow:
  inhibition by glucocorticoids, 519
B cells, human:
  expression of IL-4 and CD25, 511
B cells:
  control of aggregability of CD4 on T cells, 606
B lymphocytes, human:
  suppression by *Trypanosoma cruzi*, 317
B-memory cells:
  improved recovery of, 600

C-reactive protein:
  defined cross-linked oligomers, characterization and complement reactivity, 725
c-myc mRNA levels, in tonsillar T lymphocytes:
  by $1,25(OH)_2D_3$, 589
C5a:
  role in lipopolysaccharide and interleukin-1-induced interleukin-6 protection, 373
Candidosis:
  protection by autoantibody to heat-shock protein 90, 20
Cathepsin B, endo/lysosomal:
  processing of conalbumin fragments, 393
CD2:
  in transgenic mice, 369
CD23:
  T-cell growth enhancement, 561
CD4:
  polyanion binding site of, 191
  role in thymic T-cell development, 183
CD45RO, activation-induced:
  loss of during culture, 78
CDw75 antigen:
  expression on normal blood cells and B-cell chronic lymphocytic leukaemia, 206
Chemotaxis, neutrophils:
  promotion by fibronectin fragments, 114
Chlamydial glycolipid:
  cellular distribution and epitope binding, 740
Cl-esterase inhibitor, synthesis:
  increased by human M-CSF, 677
Complement component 5:
  non-responsiveness to, 380
Complement receptor 1 mobilization of human granulocytes:
  inhibition by erythrocytes, 685
Complement, human:
  regulatory proteins, 719
Conglutinin:
  complement-dependent enhancement of respiratory burst, 680
Cyclosporin A and 16,16 dimethyl prostaglandin E_2:
  effects on monocyte/macrophage procoagulent activity, 670

Dendritic cells:
  cluster formation with lymphocytes, 139
  induction of anti-human immunodeficiency virus responses, 399

Echinococcus:
  modification of accessory cell function, 652
Encephalomyelitic mice:
  Theiler's virus induced, cytokine production, 284
Epstein–Barr virus nuclear antigens:
  expression in anti-IgM-stimulated B cells, 504
Equine lymphocytes:
  monoclonal antibodies identifying, 251

Fc gamma receptors:
  binding and endocytosis via, 657
Fc region:
  role in expulsion of *Trichinella spiralis*, 552
Fibronectin fragments, and neutrophil chemotaxis, 114
Fucose receptors, monocyte:
  role in T-cell fibronectin activity, 473

Gamma/delta T-cell receptor lymphocytes are delta TCS1 positive, 360
Gamma/delta T cells:
  suppression of IgE responses, 234
Group B polysaccharide, of *Neisseria meningitidis*:
  immune response to, 490

Human immunodeficiency virus infection:
  suppressor and cytotoxic function in, 567
Human immunodeficiency virus type 1 p24 protein:
  murine immune responses to, 467

Idiotypes:
  and lupus disease, 342
IgA-mediated inhibition of human polymorphonuclear leucocyte function, 99
IgE responses, to inhaled antigens:
  suppression by gamma/delta T cells, 234
IgG subclass and affinity of anti-myeloperoxidase antibodies, 714
Immune response gene regulation of responses to fimbriae, 362
Immunoglobulin E:
  at mRNA and protein levels *in vitro*, 703
Immunoglobulin G4 antibodies, to carbohydrate antigens:
  lack in lymphatic filariasis, 333
Immunoglobulin lambda gene expression:
  on human cells, 709
Immunoglobulin synthesis, by peripheral mononuclear cells:
  influence of cytokines, 228
Immunosuppression:
  in bovine trypanosomiasis, 310
Integrins and complement receptor 1, human granulocyte:
  up-regulation by cytokines, 696
Interferon-alpha/beta:
  role in intestinal pathology in mice, 279

Interferon-alpha:
effect on human B-cell lines, 44
effect on neutrophil functions, 271
Interferon-gamma:
impairment of Fc receptor type II function, 439
Interleukin-1 alpha and beta, ovine:
cloning and characterization, 453
Interleukin-1 and tumour necrosis factor:
induction of interleukin-8 and chemotactic and activating factor, 60
Interleukin-1 production:
induced by ligands binding the scavenger receptor in human monocytes and the THP-1 cell line, 432
Interleukin-2 receptors:
on rat eosinophils, in adjuvant arthritis, 169
Interleukin-2:
immunopotentiation of bovine herpes virus-1, 461
Interleukin-6:
half-life prolonged by anti-IL-6, 55
Intestinal T lymphocytes:
role in bronchus mucosal immunity, 68
Intrathymic presentation:
by dendritic cells and macrophages, 407
Isoprinosine:
protein against *Leishmania major*, 25

Junin virus-induced suppressor cells, 14

Langerhans' cells:
phenotypic maturation, 414
Leukotriene A_4:
conversion by neutrophils and platelets from atopic patients, 689
lpr and *gld* locus, differing:
haematopoietic cell transfers, 127
lpr locus, differing:
reciprocal haematopoietic cell transfers, 121
Lung immunity:
maintenance of localized responses, 215
Lymphocyte adherence:
to lymph node high endothelial venule cells, 478
Lymphocyte subsets, in the central nervous system:
population dynamics, in virus-induced demyelinating encephalitis, 539
Lymphokine-activated killer cells:
tumour-binding potential, 94

Macrophages, lung:
surface phenotypic characterization, 645
Major histocompatibility complex class II restricted recognition of foot-and-mouth disease peptides, 594
Malaria vaccine:
hybrid immunogen eliciting immune responses to circumsporozoite epitopes, 323
Mls-1^a:
neonatal tolerance to, 240
Monoclonal anti-digoxin antibodies, human:
cloning of heavy and light variable regions, 50
Monoclonal anti-G1m(x) antibody, 559
Monoclonal antibodies: in CD44 and CD58, 197
Mucus entrapment, intestinal:
of *Trichinella spiralis*, 546

Negative selection:
in tolerance induction, 638

Octamer lymphoid specific binding factor:
in malignant lymphomas, 37
Oestradiol:
effect on secretory immune system, 74
Organogenesis:
expression of autoimmune antigens, 524

Perforin and serine protease RNA:
loss in cytotoxic T lymphocytes exposed to sensitive targets, 258
Perforin:
reversible injury of oligodendrocytes, 572
Plasmodium chabaudi:
effect of anti-idiotype on, 31
Polymorphic Fc receptor:
on human B cells, 613
Polymorphonuclear leucocyte migration:
induced by tumour necrosis factor-alpha but not interleukin-2, 107
Probenecid:
and intracellular killings, 338

Qa-1/Tla region alloantigen-specific cytotoxic T lymphocytes:
with alpha/beta receptor, 578

Retinoids:
protection of Langerhans' cells from ultraviolet light, 425

Splenic lymphocytes and hepatic granulomas:
after *Salmonella abortusovis* infection, 630
Staphylococcus aureus enterotoxins:
genetic control of T-cell responses to, 484
Stress:
and antigen-presenting cell function, 386
Suppression:
carrier induced, 223

T-cell clone:
proliferation on thymic stroma, 264
T-cell differentiation:
regulation by CD2 and CD28, 175
T-cell epitope:
in nucleocapsid protein of avian coronavirus, 8
T-cell epitopes:
in the 19,000 MW mycobacterial antigen, 1
T-cell receptor gamma/delta-bearing intra-epithelial lymphocytes:
in irradiated mice, 583
T-cell receptor repertoire:
genetic contribution to, 246
T-helper activity:
genes related to, in SAM mice, 160
T-helper cell subsets:
and *Trichinella spiralis*, 329
Terminal complement complexes:
on dendritic cells, 132
Thymic stromal cells:
in vitro analysis, 621
Toxoplasmic encephalitis:
determination by genes in H-2D, 732
Tumour cells:
growth inhibition by liposome-encapsulated trehalose 2,3,6′-trimycolate, 497
Tumour necrosis factor receptor:
distribution in human lymphoid tissue, 446
Tumour necrosis factor-alpha:
effect on immunoglobulin G Fc intestinal binding site, 298
reversal of disease exacerbation by subcutaneous immunization against leishmaniasis, 304

Uveoretinitis, autoimmune:
prevention by $HgCl_2$ injection, 348

Virus-specific antibody-secreting cells, in the central nervous system:
pathogenic role in virus-induced demyelinating encephalitis, 533
Vitamin D_3 binding protein:
and macrophage activation, 420